




**Correas  
Industriales**

# CORREAS TRAPECIALES CLASICAS

DIN 2215 - ISO 4184




**PERFIL 10/Z**

Ref. correa	Li mm
Z 14,5	370
Z 15	380
Z 15,5	395
Z 16	405
Z 17	430
Z 17,5	445
Z 18	460
Z 19	480
Z 19,5	495
Z 20	508
Z 20,5	520
Z 21	530
Z 21,5	550
Z 22	560
Z 22,5	575
Z 23	585
Z 23,5	600
Z 24	610
Z 24,5	620
Z 25	630
Z 25,5	650
Z 26	660
Z 27	685
Z 27,5	700
Z 28	710
Z 29	730
Z 29,5	750
Z 30	765
Z 30,5	775
Z 31	790
Z 32	813
Z 32,5	825
Z 33	840
Z 33,5	850
Z 34	865
Z 34,5	875
Z 35	890
Z 36	915
Z 36,5	925
Z 37	940
Z 37,5	950
Z 38	965
Z 38,5	975
Z 39	990
Z 40	1016
Z 40,5	1030
Z 41	1041
Z 41,5	1050
Z 42	1060
Z 42,5	1080
Z 43	1090
Z 43,5	1105
Z 44	1120
Z 45	1140
Z 46	1165
Z 46,5	1180
Z 47	1194
Z 48	1225
Z 49	1250
Z 50	1270
Z 51	1295
Z 52	1320
Z 53	1346

Ref. correa	Li mm
Z 54	1371
Z 55	1400
Z 56	1422
Z 57	1450
Z 58	1475
Z 59	1500
Z 59,5	1515
Z 60	1524
Z 61	1550
Z 62	1575
Z 63	1600
Z 64	1626
Z 65	1651
Z 66	1675
Z 67	1700
Z 68	1725

$La = Lw + 16$      $Lw = Li + 22$   
 $La = Li + 38$      $Lw = La - 16$




**PERFIL 13/A**

Ref. correa	Li mm
A 20	508
A 21	535
A 22	560
A 23	585
A 24	610
A 25	630
A 26	660
A 27	686
A 28	710
A 29	730
A 30	767
A 31	787
A 32	813
A 33	838
A 34	864
A 35	889
A 36	914
A 37	940
A 38	965
A 39	990
A 40	1016
A 41	1041
A 42	1060
A 43	1100
A 44	1120
A 45	1143
A 46	1168
A 46,5	1180
A 47	1200
A 48	1220
A 49	1250
A 50	1270
A 51	1300
A 52	1320
A 53	1350
A 54	1375
A 55	1400
A 56	1422
A 57	1450
A 58	1475
A 59	1500

Ref. correa	Li mm
A 60	1525
A 61	1550
A 62	1575
A 63	1600
A 64	1625
A 65	1650
A 66	1676
A 67	1700
A 68	1725
A 69	1750
A 70	1775
A 71	1800
A 72	1825
A 73	1854
A 74	1880
A 75	1900
A 76	1930
A 77	1956
A 78	1980
A 79	2000
A 80	2032
A 81	2060
A 82	2083
A 83	2110
A 84	2134
A 85	2160
A 86	2180
A 87	2210
A 88	2240
A 89	2260
A 90	2286
A 91	2310
A 92	2337
A 93	2360
A 94	2388
A 95	2413
A 96	2438
A 97	2464
A 98	2500
A 99	2515
A 100	2540
A 101	2565
A 102	2591
A 104	2650
A 105	2667
A 107	2725
A 108	2743
A 110	2800
A 112	2845
A 114	2896
A 115	2921
A 116	2946
A 118	3000
A 120	3048
A 124	3150
A 126	3200
A 128	3250
A 130	3300
A 132	3350
A 134	3400
A 136	3454
A 138	3500
A 140	3550
A 144	3658
A 148	3750
A 158	4000
A 162	4115
A 180	4572

$La = Lw + 20$      $Lw = Li + 30$   
 $La = Li + 50$      $Lw = La - 20$



**PERFIL 17/B**

Ref. correa	Li mm
B 25	630
B 26	660
B 27	686
B 28	710
B 29	735
B 30	762
B 31	785
B 32	813
B 33	838
B 34	865
B 35	889
B 36	915
B 37	940
B 38	965
B 39	991
B 40	1016
B 41	1040
B 42	1060
B 43	1090
B 44	1120
B 45	1150
B 46	1175
B 47	1200
B 48	1215
B 49	1250
B 50	1275
B 51	1300
B 52	1320
B 53	1350
B 54	1372
B 55	1400
B 56	1422
B 57	1450
B 58	1473
B 59	1500
B 60	1525
B 61	1550
B 62	1575
B 63	1600
B 64	1625
B 65	1650
B 66	1676
B 67	1700
B 68	1725
B 69	1750
B 70	1775
B 71	1800
B 72	1829
B 73	1850
B 74	1880
B 75	1900
B 76	1930
B 77	1950
B 78	1981
B 79	2000
B 80	2032
B 81	2060
B 82	2083
B 83	2100
B 84	2134
B 85	2160
B 86	2180
B 87	2210


# CORREAS TRAPECIALES CLASICAS

DIN 2215 - ISO 4184



Ref. correa	Li mm
B 88	2240
B 89	2260
B 90	2286
B 91	2300
B 92	2337
B 93	2360
B 94	2388
B 95	2413
B 96	2438
B 97	2465
B 98	2500
B 99	2515
B 100	2540
B 101	2565
B 102	2600
B 103	2616
B 104	2650
B 105	2667
B 106	2700
B 107	2718
B 108	2750
B 110	2800
B 112	2845
B 113	2875
B 114	2900
B 115	2925
B 116	2950
B 118	3000
B 120	3048
B 122	3075
B 124	3150
B 126	3200
B 128	3250
B 130	3300
B 132	3350
B 136	3450
B 138	3500
B 140	3550
B 142	3600
B 144	3658
B 146	3700
B 148	3750
B 150	3810
B 152	2861
B 154	3912
B 156	3965
B 158	4000
B 160	4064
B 162	4115
B 165	4200
B 167	4250
B 170	4318
B 173	4394
B 177	4500
B 178	4521
B 180	4572
B 187	4750
B 195	4953
B 197	5000
B 204	5182
B 208	5280
B 211	5359
B 224	5690
B 225	5700
B 236	6000

La = Lw + 29    Lw = Li + 40  
La = Li + 69    Lw = La - 29




**PERFIL 22/C**

Ref. correa	Li mm
C 41	1045
C 42	1060
C 43	1090
C 44	1120
C 45	1150
C 47	1200
C 48	1215
C 49	1250
C 50	1270
C 51	1295
C 52	1320
C 53	1350
C 54	1375
C 55	1400
C 56	1425
C 57	1450
C 58	1475
C 59	1500
C 60	1524
C 61	1550
C 62	1574
C 63	1600
C 65	1650
C 66	1676
C 67	1700
C 68	1727
C 69	1750
C 70	1778
C 71	1800
C 72	1829
C 73	1850
C 74	1880
C 75	1900
C 76	1930
C 77	1956
C 78	1981
C 79	2000
C 80	2032
C 81	2060
C 82	2083
C 83	2100
C 84	2135
C 85	2159
C 86	2184
C 87	2210
C 88	2240
C 89	2261
C 90	2286
C 91	2311
C 92	2337
C 93	2360
C 94	2388
C 95	2413
C 96	2438
C 97	2465
C 98	2500
C 99	2525
C 100	2540
C 101	2560
C 102	2591

Ref. correa	Li mm
C 104	2642
C 105	2667
C 106	2692
C 108	2750
C 110	2800
C 111	2819
C 112	2845
C 114	2896
C 115	2921
C 116	2950
C 117	2965
C 118	3000
C 119	3025
C 120	3048
C 122	3100
C 124	3150
C 126	3200
C 128	3250
C 130	3300
C 132	3350
C 134	3400
C 136	3450
C 138	3500
C 140	3550
C 142	3600
C 144	3658
C 146	3700
C 148	3750
C 154	3900
C 156	3962
C 158	4000
C 160	4064
C 162	4115
C 164	4165
C 167	4250
C 173	4394
C 175	4445
C 177	4500
C 178	4521
C 180	4572
C 185	4700
C 187	4750
C 190	4825
C 195	4953
C 197	5000
C 200	5080
C 204	5182
C 208	5300
C 210	5334
C 223	5664
C 225	5715
C 228	5791
C 230	5840
C 236	6000
C 240	6096
C 248	6300
C 264	6706
C 270	6858
C 276	7010
C 297	7544
C 300	7620
C 315	8000
C 330	8380
C 336	8534
C 360	9150

La = Lw + 88    Lw = Li + 58  
La = Li + 30    Lw = La - 30




**PERFIL 32/D**

Ref. correa	Li mm
D 105	2675
D 112	2850
D 118	3000
D 128	3251
D 135	3425
D 136	3450
D 140	3550
D 144	3658
D 148	3750
D 154	3912
D 158	4000
D 163	4150
D 167	4242
D 173	4394
D 180	4572
D 187	4750
D 195	4950
D 197	5000
D 204	5180
D 208	5300
D 210	5334
D 220	5600
D 225	5712
D 240	6096
D 248	6300
D 250	6300
D 264	6700
D 270	6858
D 280	7100
D 298	7569
D 394	10008

La = Lw + 51    Lw = Li + 75  
La = Li + 126    Lw = La - 51

# CORREAS TRAPECIALES CLASICAS

DIN 7753 - ISO 4184




PERFIL SPZ

Ref. Correa	Lw (mm)	La mm
SPZ 630	630	643
SPZ 637	637	650
SPZ 662	662	675
SPZ 670	670	683
SPZ 687	700	700
SPZ 697	710	710
SPZ 710	723	723
SPZ 722	735	735
SPZ 737	750	750
SPZ 750	763	763
SPZ 762	775	775
SPZ 772	785	785
SPZ 787	800	800
SPZ 800	813	813
SPZ 812	825	825
SPZ 825	838	838
SPZ 837	850	850
SPZ 850	863	863
SPZ 862	875	875
SPZ 875	888	888
SPZ 887	900	900
SPZ 900	913	913
SPZ 912	925	925
SPZ 925	938	938
SPZ 937	950	950
SPZ 950	963	963
SPZ 960	973	973
SPZ 962	975	975
SPZ 987	1000	1000
SPZ 1000	1013	1013
SPZ 1010	1023	1023
SPZ 1024	1037	1037
SPZ 1037	1050	1050
SPZ 1047	1060	1060
SPZ 1060	1073	1073
SPZ 1080	1093	1093
SPZ 1087	1100	1100
SPZ 1112	1125	1125
SPZ 1120	1133	1133
SPZ 1137	1150	1150
SPZ 1140	1153	1153
SPZ 1162	1175	1175
SPZ 1180	1193	1193
SPZ 1187	1200	1200
SPZ 1200	1213	1213
SPZ 1212	1225	1225
SPZ 1237	1250	1250
SPZ 1250	1263	1263
SPZ 1262	1275	1275
SPZ 1270	1283	1283
SPZ 1287	1300	1300
SPZ 1312	1325	1325
SPZ 1320	1333	1333
SPZ 1337	1350	1350

Ref. Correa	Lw (mm)	La mm
SPZ 1340	1340	1353
SPZ 1362	1362	1375
SPZ 1387	1400	1400
SPZ 1400	1413	1413
SPZ 1412	1425	1425
SPZ 1420	1433	1433
SPZ 1437	1450	1450
SPZ 1462	1475	1475
SPZ 1487	1500	1500
SPZ 1500	1513	1513
SPZ 1512	1525	1525
SPZ 1520	1533	1533
SPZ 1537	1550	1550
SPZ 1562	1575	1575
SPZ 1587	1600	1600
SPZ 1600	1613	1613
SPZ 1612	1625	1625
SPZ 1637	1650	1650
SPZ 1650	1663	1663
SPZ 1662	1675	1675
SPZ 1687	1700	1700
SPZ 1700	1713	1713
SPZ 1737	1750	1750
SPZ 1762	1775	1775
SPZ 1787	1800	1800
SPZ 1800	1813	1813
SPZ 1812	1825	1825
SPZ 1837	1850	1850
SPZ 1862	1875	1875
SPZ 1887	1900	1900
SPZ 1900	1913	1913
SPZ 1937	1950	1950
SPZ 1987	2000	2000
SPZ 2000	2013	2013
SPZ 2037	2050	2050
SPZ 2087	2100	2100
SPZ 2120	2133	2133
SPZ 2187	2200	2200
SPZ 2240	2253	2253
SPZ 2280	2293	2293
SPZ 2287	2300	2300
SPZ 2360	2373	2373
SPZ 2487	2500	2500
SPZ 2500	2513	2513
SPZ 2540	2553	2553
SPZ 2650	2663	2663
SPZ 2690	2703	2703
SPZ 2800	2813	2813
SPZ 2840	2853	2853
SPZ 2900	2913	2913
SPZ 3000	3013	3013
SPZ 3150	3163	3163
SPZ 3170	3183	3183
SPZ 3550	3563	3563

$La = Lw + 13$      $Li = Lw - 38$   
 $La = Li + 51$      $Li = La - 51$



PERFIL SPA

Ref. Correa	Lw (mm)	La mm
SPA 757	757	775
SPA 800	800	818
SPA 807	825	825
SPA 832	850	850
SPA 850	868	868
SPA 857	875	875
SPA 875	893	893
SPA 882	900	900
SPA 907	925	925
SPA 925	943	943
SPA 932	950	950
SPA 950	968	968
SPA 957	975	975
SPA 982	1000	1000
SPA 1000	1018	1018
SPA 1032	1050	1050
SPA 1060	1078	1078
SPA 1082	1100	1100
SPA 1090	1108	1108
SPA 1107	1125	1125
SPA 1120	1138	1138
SPA 1132	1150	1150
SPA 1157	1175	1175
SPA 1180	1198	1198
SPA 1207	1225	1225
SPA 1220	1238	1238
SPA 1232	1250	1250
SPA 1250	1268	1268
SPA 1257	1275	1275
SPA 1272	1290	1290
SPA 1282	1300	1300
SPA 1307	1325	1325
SPA 1320	1338	1338
SPA 1332	1350	1350
SPA 1337	1355	1355
SPA 1357	1375	1375
SPA 1360	1378	1378
SPA 1382	1400	1400
SPA 1400	1418	1418
SPA 1407	1425	1425
SPA 1432	1450	1450
SPA 1450	1468	1468
SPA 1457	1475	1475
SPA 1482	1500	1500
SPA 1500	1518	1518
SPA 1507	1525	1525
SPA 1532	1550	1550
SPA 1550	1568	1568
SPA 1557	1575	1575
SPA 1582	1600	1600
SPA 1600	1618	1618
SPA 1632	1650	1650
SPA 1650	1668	1668
SPA 1657	1675	1675

# CORREAS TRAPECIALES CLASICAS

DIN 7753 - ISO 4184



Ref. Correa	Lw (mm)	La mm
SPA 1682	1700	1700
SPA 1700	1718	1718
SPA 1707	1725	1725
SPA 1732	1750	1750
SPA 1757	1775	1775
SPA 1782	1800	1800
SPA 1800	1818	1818
SPA 1807	1825	1825
SPA 1832	1850	1850
SPA 1857	1875	1875
SPA 1882	1900	1900
SPA 1900	1918	1918
SPA 1907	1925	1925
SPA 1932	1950	1950
SPA 1950	1968	1968
SPA 1957	1975	1975
SPA 1982	2000	2000
SPA 2000	2018	2018
SPA 2032	2050	2050
SPA 2060	2078	2078
SPA 2082	2100	2100
SPA 2120	2138	2138
SPA 2132	2150	2150
SPA 2182	2200	2200
SPA 2207	2225	2225
SPA 2232	2250	2250
SPA 2240	2258	2258
SPA 2282	2300	2300
SPA 2300	2318	2318
SPA 2307	2325	2325
SPA 2332	2350	2350
SPA 2360	2378	2378
SPA 2382	2400	2400
SPA 2432	2450	2450
SPA 2500	2518	2518
SPA 2532	2550	2550
SPA 2582	2600	2600
SPA 2607	2625	2625
SPA 2632	2650	2650
SPA 2650	2668	2668
SPA 2720	2738	2738
SPA 2732	2750	2750
SPA 2782	2800	2800
SPA 2800	2818	2818
SPA 2832	2850	2850
SPA 2847	2865	2865
SPA 2882	2900	2900
SPA 2932	2950	2950
SPA 2982	3000	3000
SPA 3000	3018	3018
SPA 3032	3050	3050
SPA 3082	3100	3100
SPA 3150	3168	3168
SPA 3282	3300	3300
SPA 3382	3400	3400
SPA 3550	3568	3568
SPA 3650	3668	3668
SPA 3750	3768	3768
SPA 4000	4018	4018
SPA 4250	4268	4268
SPA 5000	5018	5018

La = Lw + 18 Li = Lw - 45  
La = Li + 63 Li = La - 63

**PERFIL SPB**

Ref. Correa	Lw (mm)	La mm
SPB 1250	1272	1272
SPB 1320	1342	1342
SPB 1340	1362	1362
SPB 1400	1422	1422
SPB 1410	1432	1432
SPB 1450	1472	1472
SPB 1500	1522	1522
SPB 1590	1612	1612
SPB 1600	1622	1622
SPB 1650	1672	1672
SPB 1690	1712	1712
SPB 1700	1722	1722
SPB 1750	1772	1772
SPB 1800	1822	1822
SPB 1850	1872	1872
SPB 1900	1922	1922
SPB 1950	1972	1972
SPB 2000	2022	2022
SPB 2060	2082	2082
SPB 2120	2142	2142
SPB 2150	2172	2172
SPB 2180	2202	2202
SPB 2240	2262	2262
SPB 2280	2302	2302
SPB 2300	2322	2322
SPB 2360	2382	2382
SPB 2410	2432	2432
SPB 2430	2452	2452
SPB 2500	2522	2522
SPB 2530	2552	2552
SPB 2650	2672	2672
SPB 2680	2702	2702
SPB 2800	2822	2822
SPB 2840	2862	2862
SPB 2990	3012	3012
SPB 3000	3022	3022
SPB 3150	3172	3172
SPB 3170	3192	3192
SPB 3250	3272	3272
SPB 3340	3362	3362
SPB 3350	3372	3372
SPB 3450	3472	3472
SPB 3550	3572	3572
SPB 3650	3672	3672
SPB 3750	3772	3772
SPB 3800	3822	3822
SPB 4000	4022	4022
SPB 4060	4082	4082
SPB 4250	4272	4272
SPB 4310	4332	4332
SPB 4500	4522	4522
SPB 4560	4582	4582
SPB 4750	4772	4772
SPB 4820	4842	4842
SPB 5000	5022	5022
SPB 5300	5322	5322

Ref. Correa	Lw (mm)	La mm
SPB 5380	5402	5402
SPB 5600	5622	5622
SPB 6000	6022	6022
SPB 6300	6322	6322
SPB 6340	6362	6362
SPB 6700	6722	6722
SPB 7500	7522	7522
SPB 8500	8522	8522

La = Lw + 22 Li = Lw - 60  
La = Li + 82 Li = La - 82


**PERFIL SPC**

Ref. Correa	Lw (mm)	La mm
SPC 10000	10030	10030
SPC 10600	10630	10630
SPC 2000	2030	2030
SPC 2120	2150	2150
SPC 2240	2270	2270
SPC 2360	2390	2390
SPC 2500	2530	2530
SPC 2650	2680	2680
SPC 2800	2830	2830
SPC 3000	3030	3030
SPC 3150	3180	3180
SPC 3350	3380	3380
SPC 3500	3530	3530
SPC 3550	3580	3580
SPC 3750	3780	3780
SPC 4000	4030	4030
SPC 4100	4130	4130
SPC 4250	4280	4280
SPC 4500	4530	4530
SPC 4750	4780	4780
SPC 5000	5030	5030
SPC 5300	5330	5330
SPC 5500	5530	5530
SPC 5600	5630	5630
SPC 5800	5830	5830
SPC 6000	6030	6030
SPC 6300	6330	6330
SPC 6700	6730	6730
SPC 7100	7130	7130
SPC 7500	7530	7530
SPC 8000	8030	8030
SPC 8500	8530	8530
SPC 9000	9030	9030
SPC 9500	9530	9530

La = Lw + 30 Li = Lw - 83  
La = Li + 113 Li = La - 113


# CORREAS TRAPECIALES ANCHO ESTRECHO

DIN 2215 - ISO 4184




Ref. correa	Li mm
AX 21	533
AX 22	559
AX 23	585
AX 24	610
AX 25	630
AX 26	660
AX 27	686
AX 28	710
AX 29	730
AX 30	767
AX 31	787
AX 32	813
AX 33	838
AX 34	864
AX 35	889
AX 36	914
AX 37	940
AX 38	965
AX 39	990
AX 40	1016
AX 41	1041
AX 42	1060
AX 43	1100
AX 44	1120
AX 45	1143
AX 46	1168
AX 47	1200
AX 48	1220
AX 49	1250
AX 50	1270
AX 51	1300
AX 52	1320
AX 53	1350
AX 54	1375
AX 55	1400
AX 56	1422
AX 57	1450
AX 58	1475
AX 59	1500
AX 60	1524
AX 61	1550
AX 62	1575
AX 63	1600
AX 64	1625
AX 65	1651
AX 66	1676
AX 67	1700
AX 68	1725
AX 69	1753
AX 70	1775
AX 71	1800
AX 72	1825
AX 73	1854
AX 74	1880
AX 75	1900
AX 76	1930
AX 82	2083
AX 83	2108
AX 84	2134
AX 85	2159
AX 86	2180
AX 89	2261

La = Lw + 20 Lw = Li + 30  
La = Li + 50 Lw = La - 20




Ref. correa	Li mm
BX 23	585
BX 27	686
BX 28	710
BX 29	735
BX 30	750
BX 31	785
BX 32	813
BX 33	838
BX 34	865
BX 35	889
BX 36	915
BX 37	940
BX 38	965
BX 39	991
BX 40	1016
BX 41	1040
BX 42	1060
BX 43	1090
BX 44	1120
BX 45	1150
BX 46	1175
BX 47	1200
BX 48	1215
BX 49	1250
BX 50	1275
BX 51	1300
BX 52	1320
BX 53	1350
BX 54	1372
BX 55	1400
BX 56	1422
BX 57	1450
BX 58	1473
BX 59	1500
BX 60	1524
BX 61	1550
BX 62	1575
BX 63	1600
BX 64	1625
BX 65	1651
BX 66	1676
BX 67	1700
BX 68	1725
BX 69	1750
BX 71	1800
BX 73	1850
BX 74	1880
BX 75	1900
BX 79	2000
BX 80	2032
BX 81	2057
BX 82	2083
BX 90	2286
BX 93	2360

La = Lw + 29 Lw = Li + 40  
La = Li + 69 Lw = La - 29



Ref. correa	Li mm
CX 42	1067
CX 43	1090
CX 44	1120
CX 52	1320
CX 55	1400
CX 57	1448
CX 58	1473
CX 59	1499
CX 60	1524
CX 61	1550
CX 62	1574
CX 63	1600
CX 64	1626
CX 65	1651
CX 66	1676
CX 67	1700
CX 69	1753
CX 71	1800
CX 72	1829
CX 75	1905
CX 78	1981
CX 79	2000
CX 80	2032
CX 81	2060
CX 82	2083
CX 83	2108
CX 84	2134
CX 86	2184
CX 88	2240
CX 90	2286

La = Lw + 30 Lw = Li + 58  
La = Li + 88 Lw = La - 30




PERFIL XPZ

Ref. Correa	Lw (mm)	La mm
XPZ 612	625	625
XPZ 630	643	643
XPZ 662	675	675
XPZ 670	683	683
XPZ 710	723	723
XPZ 750	763	763
XPZ 812	825	825
XPZ 850	863	863
XPZ 887	900	900
XPZ 900	913	913
XPZ 950	963	963
XPZ 962	975	975
XPZ 987	1000	1000
XPZ 1012	1025	1025
XPZ 1037	1050	1050
XPZ 1060	1073	1073
XPZ 1077	1090	1090
XPZ 1112	1125	1125
XPZ 1120	1133	1133
XPZ 1137	1150	1150
XPZ 1237	1250	1250

Ref. Correa	Lw (mm)	La mm
XPZ 1287	1300	1300
XPZ 1312	1325	1325
XPZ 1320	1333	1333
XPZ 1337	1350	1350
XPZ 1362	1375	1375
XPZ 1400	1413	1413
XPZ 1412	1425	1425
XPZ 1420	1433	1433
XPZ 1437	1450	1450
XPZ 1462	1475	1475
XPZ 1487	1500	1500
XPZ 1500	1513	1513
XPZ 1512	1525	1525
XPZ 1537	1550	1550
XPZ 1612	1625	1625
XPZ 1650	1663	1663
XPZ 1700	1713	1713
XPZ 1800	1813	1813
XPZ 1900	1913	1913
XPZ 2000	2013	2013
XPZ 2120	2133	2133
XPZ 2160	2173	2173
XPZ 2240	2253	2253
XPZ 2287	2300	2300
XPZ 2360	2373	2373
XPZ 2410	2423	2423

La = Lw + 13 Lw = Li - 38  
La = Li + 51 Lw = La - 51




PERFIL XPA

Ref. Correa	Lw (mm)	La mm
XPA 757	775	775
XPA 800	818	818
XPA 850	868	868
XPA 875	893	893
XPA 882	900	900
XPA 900	918	918
XPA 950	968	968
XPA 1000	1018	1018
XPA 1060	1078	1078
XPA 1082	1100	1100
XPA 1120	1138	1138
XPA 1132	1150	1150
XPA 1150	1168	1168
XPA 1180	1198	1198
XPA 1232	1250	1250
XPA 1250	1268	1268
XPA 1332	1350	1350
XPA 1357	1375	1375
XPA 1400	1418	1418
XPA 1432	1450	1450
XPA 1457	1475	1475
XPA 1500	1518	1518
XPA 1532	1550	1550
XPA 1557	1575	1575
XPA 1600	1618	1618
XPA 1700	1718	1718
XPA 1750	1768	1768
XPA 1800	1818	1818
XPA 1850	1868	1868
XPA 1900	1918	1918
XPA 1957	1975	1975
XPA 2000	2018	2018

Ref. Correa	Lw (mm)	La mm
XPA 2032	2050	2050
XPA 2120	2138	2138
XPA 2182	2200	2200
XPA 2240	2258	2258
XPA 2360	2378	2378
XPA 2500	2518	2518

La = Lw + 18 Lw = Li - 45  
La = Li + 63 Lw = La - 63




PERFIL XPB


Ref. Correa	Lw (mm)	La mm
XPB 1250	1272	1272
XPB 1320	1342	1342
XPB 1340	1362	1362
XPB 1400	1422	1422
XPB 1500	1522	1522
XPB 1600	1622	1622
XPB 1700	1722	1722
XPB 1750	1772	1772
XPB 1800	1822	1822
XPB 1900	1922	1922
XPB 2000	2022	2022
XPB 2060	2082	2082
XPB 2120	2142	2142
XPB 2240	2262	2262
XPB 2360	2382	2382

La = Lw + 22 Lw = Li - 60  
La = Li + 82 Lw = La - 82


# CORREA DENTADA DE CAUCHO



**PASO XL - 1/5" - 5,080 mm**



**PASO L - 3/8" - 9,525mm**




**PASO H - 1/2" - 12,7mm**


Ref. correa	DIENTES	Lw mm
60 XL	30	152,40
70 XL	35	177,80
80 XL	40	203,20
90 XL	45	228,60
100 XL	50	254,00
110 XL	55	279,40
120 XL	60	304,80
130 XL	65	330,20
140 XL	70	355,60
150 XL	75	381,00
160 XL	80	406,40
170 XL	85	431,80
180 XL	90	457,20
190 XL	95	482,60
200 XL	100	508,00
210 XL	105	533,40
220 XL	110	558,80
230 XL	115	584,20
240 XL	120	609,60
250 XL	125	635,00
260 XL	130	660,40
270 XL	135	685,80
280 XL	140	711,20
300 XL	150	762,00
316 XL	158	802,64
330 XL	165	838,20
362 XL	181	919,48
390 XL	195	990,60
412 XL	206	1.046,48
450 XL	225	1.143,00

Ref. correa	DIENTES	Lw mm
124 L	33	314,96
150 L	40	381,00
172 L	46	436,88
187 L	50	474,98
210 L	56	533,40
225 L	60	571,50
240 L	64	609,60
255 L	68	647,70
270 L	72	685,80
285 L	76	723,90
300 L	80	762,00
322 L	86	817,88
345 L	92	876,30
367 L	98	932,18
390 L	104	990,60
420 L	112	1.066,80
450 L	120	1.143,00
480 L	128	1.219,20
510 L	136	1.295,40
540 L	144	1.371,60
600 L	160	1.524,00
660 L	176	1.676,40

Ref. correa	DIENTES	Lw mm
240 H	48	609,60
270 H	54	685,80
300 H	60	762,00
330 H	66	838,20
360 H	72	914,40
390 H	78	990,60
420 H	84	1.066,80
450 H	90	1.143,00
480 H	96	1.219,20
490 H	98	1.244,60
510 H	102	1.295,40
540 H	108	1.371,60
560 H	112	1.422,40
570 H	114	1.447,80
600 H	120	1.524,00
630 H	126	1.600,20
660 H	132	1.676,40
700 H	140	1.778,00
750 H	150	1.905,00
800 H	160	2.032,00
850 H	170	2.159,00
900 H	180	2.286,00
1000 H	200	2.540,00
1100 H	220	2.794,00
1250 H	250	3.175,00
1400 H	280	3.556,00
1700 H	340	4.318,00



**PASO XH - 7/8" -22,225mm**



**PASO XXH - 1 1/4" - 31,75 mm**


## ANCHOS ESTÁNDAR

- 025 - 6,35 mm
- 037 - 9,52 mm
- 050 - 12,7 mm
- 075 - 19,05 mm
- 100 - 25,4 mm
- 150 - 38,1 mm
- 200 - 50,8 mm
- 300 - 76,2 mm
- 400 - 101,6 mm
- 500 - 127 mm


Ref. correa	DIENTES	Lw mm
507 XH	58	1.287,78
560 XH	64	1.422,40
630 XH	72	1.600,20
700 XH	80	1.778,00
770 XH	88	1.955,80
840 XH	96	2.133,60
980 XH	112	2.489,20
1120 XH	128	2.844,80
1260 XH	144	3.200,40
1400 XH	160	3.556,00
1540 XH	176	3.911,60
1750 XH	200	4.445,00

Ref. correa	DIENTES	Lw mm
700 XXH	56	1.778,00
800 XXH	64	2.032,00
900 XXH	72	2.286,00
1000 XXH	80	2.540,00
1200 XXH	96	3.048,00
1400 XXH	112	3.556,00
1600 XXH	128	4.064,00
1800 XXH	144	4.572,00


# CORREA DENTADA DE CAUCHO



**PASO 5M - 5mm**



**PASO 8M - 8mm**



**PASO 14M - 14mm**


Ref. correa	DIENTES	Lw mm
375 5M	75	375
400 5M	80	400
425 5M	85	425
450 5M	90	450
475 5M	95	475
500 5M	100	500
535 5M	107	535
565 5M	113	565
600 5M	120	600
635 5M	127	635
670 5M	134	670
710 5M	142	710
740 5M	148	740
800 5M	160	800
850 5M	170	850
890 5M	178	890
950 5M	190	950
1000 5M	200	1000
1050 5M	210	1050
1125 5M	225	1125
1195 5M	239	1195
1270 5M	254	1270
1420 5M	284	1420
1595 5M	319	1595
1690 5M	338	1690
1790 5M	358	1790
1895 5M	379	1895

Ref. correa	DIENTES	Lw mm
480 8M	60	480
560 8M	70	560
600 8M	75	600
640 8M	80	640
720 8M	90	720
800 8M	100	800
880 8M	110	880
960 8M	120	960
1040 8M	130	1040
1120 8M	140	1120
1200 8M	150	1200
1280 8M	160	1280
1440 8M	180	1440
1600 8M	200	1600
1760 8M	220	1760
1800 8M	225	1800
2000 8M	250	2000
2400 8M	300	2400
2600 8M	325	2600
2800 8M	350	2800
3048 8M	381	3048
3280 8M	410	3280
3600 8M	450	3600
4400 8M	550	4400

Ref. correa	DIENTES	Lw mm
966 14M	69	966
1190 14M	85	1190
1400 14M	100	1400
1610 14M	115	1610
1778 14M	127	1778
1890 14M	135	1890
2100 14M	150	2100
2310 14M	165	2310
2450 14M	175	2450
2590 14M	185	2590
2800 14M	200	2800
3150 14M	225	3150
3360 14M	240	3360
3500 14M	250	3500
3850 14M	275	3850
4326 14M	309	4326
4578 14M	327	4578
4956 14M	354	4956
5320 14M	380	5320
5740 14M	410	5740
6160 14M	440	6160
6860 14M	490	6860

## ANCHOS ESTÁNDAR

- 3M** - 6 mm, 9 mm, 15 mm
- 5M** - 9 mm, 15 mm, 25 mm
- 8M** - 20 mm, 30 mm, 50 mm, 85 mm
- 14M** - 40 mm, 55 mm, 85 mm, 115 mm, 170 mm
- 20M** - 115 mm, 170 mm, 230 mm, 290 mm, 340 mm



**PASO 20M - 20mm**

Ref. correa	DIENTES	Lw mm
2000 20M	100	2000
2500 20M	125	2500
3400 20M	170	3400
3800 20M	190	3800
4200 20M	210	4200
4600 20M	230	4600
5000 20M	250	5000
5200 20M	260	5200
5400 20M	270	5400
5800 20M	290	5800
6200 20M	310	6200
6600 20M	330	6600